



中国新兴厦门进出口有限责任公司
CHINA XINXING XIAMEN IMPORT AND EXPORT CO., LTD.



中国新兴厦门进出口有限责任公司
CHINA XINXING XIAMEN IMPORT AND EXPORT CO., LTD.

Tel:0086-592-5075617 Fax:0086-592-5052127

Whatsapp&Wechat:+86 18060984705

Website:

www.chinamilitarysupplier.com

www.chinaarmysupplier.com

Address:11 Floor,Zhenxing Building,NO.118 Hubin North Road,Xiamen,Fujian,China



- STATE OWNED COMPANY SINCE 1987
- AUTHORIZED BY GOVERNMENT TO EXPORT
MILITARY AND POLICE LOGISTICS EQUIPMENT
- ONE STOP SOLUTION PROVIDER & MANUFACTURER

Since 1987


State Owned
Company

Speical Exclusive
Military Export
Authorization

Partnerships with
over 100 countries

Production lines for
integrated solution

High tech military
logistic equipment



THE WORLD'S LEADING INTEGRATED SOLUTION PROVIDER FOR MILITARY AND POLICE LOGISTICS EQUIPMENT



TABLE OF CONTENTS

BULLETPROOF EQUIPMENT

BULLETPROOF VEST P15
BULLETPROOF HELMET P18
BULLETPROOF PLATE P19
BULLETPROOF SHIELD P20
BULLETPROOF GLASS P21
BULLETPROOF MATERIAL P21
BULLETPROOF STEEL PLATE P23

POLICE EQUIPMENT

ANTI-RIOT GEARS P25
HANDCUFF&LEG CUFF P27
BATON P27
GAS MASK P27

SPECIAL VEHICLE

MILITARY VEHICLE P48
POLICE VEHICLE P49
OTHER SPECIAL VEHICLES P49

MILITARY APPAREL

GARMENTS P4
HEADWEAR P9
UNIFORM ACCESSORIES P9
FOOTWEAR P10

OUTDOOR AND TACTICAL PRODUCTS

BAGS P29
TACTICAL ACCESSORIES P32
OUTDOOR GEARS P34
OTHER EQUIPMENT P36

TROOP FIELD EQUIPMENT

MILITARY TENT P41
MONITORING SYSTEM P44
FIELD HOSPITAL P44
BORDER TROOP GEARS P44
TRAINING PROJECT P46

HIGH-TECH EQUIPMENT

EOD EQUIPMENT P54
PARACHUTE EQUIPMENT P57
BOAT & SHIP P60
COMMUNICATION DEVICE P61
COMMUNICATION SYSTEM P61
JAMMER P63
OPTICAL DEVICE P64
DRONES & C-UAS EQUIPMENT P66
OTHER HIGH-TECH EQUIPMENTS P68

PRODUCTION LINE



Clothes
Production Line


Vest
Production Line



Ballistic Product
Production Line

Vehicle
Production Line





MILITARY APPAREL

MILITARY APPAREL

BULLETPROOF EQUIPMENT




POLICE EQUIPMENT

OUTDOOR AND TACTICAL PRODUCTS

TROOP FIELD EQUIPMENT

SPECIAL VEHICLE

HIGH-TECH EQUIPMENT

				
Singapore	Nepal	Brunei	Yemen	Philippine
				
Jordan	SA	Libya	Kuwait	Iraq
				
DPM	DPM Navy	France	Denmark	Germany
				
Spain	Russia	Poland	Norway	Kosovo
				
Italy	Greece	Cyprus	Czech	Nigeria
				
CHAD ARMY Chad	Togo	Cote d'Ivoire	Dominica	Brazil
				
Real tree	Woodland	Multicam	Navy Digital	Kryptek
				
A-tac	6 color	MAPAT	Desert tiger strip	Tri color

MILITARY APPAREL

BULLETPROOF EQUIPMENT

POLICE EQUIPMENT

OUTDOOR AND TACTICAL PRODUCTS

TROOP FIELD EQUIPMENT

SPECIAL VEHICLE

HIGH-TECH EQUIPMENT

MILITARY UNIFORM

Material:
Cotton/Polyester, Nylon/Cotton
Structure: Ripstop/Twill
Fabric weight: 180-250 gsm

ARMY COMBAT UNIFORM(ACU)



CXXM2501-001

BATTLE DRESS UNIFORM(BDU)



CXXM2501-002

F1 UNIFORM



CXXM2501-003

FROG SUIT



CXXM2501-004



G2
CXXM2501-005



G3
CXXM2501-006



G5
CXXM2501-007



G6
CXXM2501-008

M65 JACKET



CXXM2501-009



CXXM2501-010



CXXM2501-011



CXXM2501-012

Material:
Nylon/Cotton, Polyester /Cotton
Structure: Twill/Ripstop
Fabric weight: 180-250 gsm

SOFTSHELL JACKET



CXXM2501-013



CXXM2501-014



CXXM2501-015



CXXM2501-016

Material:
Three in one composite material
Outside is stretch fabric in 100% polyester
Middle is waterproof membrane
Inside is polar fleece
Fabric weight: 310 gsm



CXXM2501-017

ARCHON JACKET

Material:
Polyester/Cotton



CXXM2501-018

3-IN-1 JACKET

Material:
Polyester/Cotton
Features:
Anti-Infrared, Waterproof
Windproof, Eco-friendly



CXXM2501-019

G8 JACKET

Material:
Polyester/Cotton
Features:
Thickened for warmth
preservation

OFFICER UNIFORM



CXXM2501-020



CXXM2501-021



CXXM2501-022

Fabric:Polyester/Viscose/Wool
Gender:Unisex

LAW ENFORCEMENT UNIFORM



CXXM2501-023



CXXM2501-024



CXXM2501-025



CXXM2501-026



CXXM2501-027



CXXM2501-028

Fabric:Twill fabric in Polyester/Cotton/Viscose
Gender:Unisex

MILITARY SHIRT



CXXM2501-029

COTTON SHIRT

Material:100% Cotton
Fabric weight:140-180gsm



CXXM2501-030

DRI-FIT T-SHIRT

Material:Polyester/Nylon
Fabric Weight:140-180gsm



CXXM2501-031

POLO T-SHIRT

Material:Polyester/Cotton
Fabric Weight:140-180gsm

PULLOVER

Material: Wool/Acrylic/Polyester



CXXM2501-032



CXXM2501-033



CXXM2501-034



CXXM2501-035



CXXM2501-036



CXXM2501-037



CXXM2501-038



CXXM2501-039



CXXM2501-040

UNDERWEAR

Material: Nylon/Polyester Fiber/Spandex



CXXM2501-041



CXXM2501-042



CXXM2501-043

PROTECTIVE SUIT



CXXM2501-044 CXXM2501-045 CXXM2501-046

FIREFIGHTING SUIT

Material:
 Aramid IIIA
 Nomex IIIA
 93% Meta aramid &
 5% Para aramid & 2%
 Antistatic
 Construction:Four Layers
 Standard:EN469 Level II
 Color:Navy Blue, Yellow, Red,
 Orange, Dark Navy or Customize

ARC FLASH PROTECTION SUIT



CXXM2501-047 43 cal/cm²
 CXXM2501-048 46 cal/cm²
 CXXM2501-049 50 cal/cm²

NBC SUIT



CXXM2501-050 CXXM2501-051

X-rays, γ-rays:
 Shielding Rate Can Reach 86%-99.9%
 γ-rays in the Energy Range of 130 KeV:
 Shielding Rate > 65%
 β-rays (strontium-90, yttrium-90):
 Shielding Rate > 80%

OTHER EQUIPMENT



CXXM2501-052
 EHPM-808
 ATPV=12 Cal/cm²



CXXM2501-053
 J724D2001
 8 Cal/cm²



CXXM2501-054
 EHPM 813
 Voltage17KV



CXXM2501-055
 EHPM 812

HEADWEAR

OFFICER CAP

Material:
 Wool/Polyester/
 Cotton/Viscose
 Structure:Twill



CXXM2501-057 CXXM2501-058 CXXM2501-059 CXXM2501-060 CXXM2501-061

BERET

Material:
 Wool/Nylon/Polyester
 Logo option:
 Embroidery, Path, Metal Badge



CXXM2501-062

BONNIE HAT

Material: Polyester/Cotton
 Structure:
 Ripstop/Twill/Plain
 Fabric Weight: 210-220 gsm



CXXM2501-063

PATROL HAT

Material: Polyester/Cotton
 Structure:Ripstop/Twill/Plain
 Fabric Weight:210-220 gsm



CXXM2501-064



EPAULETTES&RIBBONS



CXXM2501-065



CXXM2501-066



CXXM2501-067

FOOTWEAR

MILITARY BOOTS

Upper part:Genuine Leather/Split Leather/Artificial Leather/PU or Customize
Lining part:Leather/Oxford/Mesh or Customize
Outsole:Rubber/EVA+Rubber/PU etc.
Construction:Cement/Sewing/Goodyear/Injection/Mould pressing etc.
Design:Slip on/Zipper/BOA or Customize
Feature:Breathable,Comfortable,Light Weight,
Waterproof,Deodorant,High temperature resistant
Suitable for Tactical Training,Mountaineering and other Environments



CXXM2501-068



CXXM2501-068



CXXM2501-069



CXXM2501-070



CXXM2501-071



CXXM2501-072



CXXM2501-073



CXXM2501-074



CXXM2501-075



CXXM2501-076



CXXM2501-077



CXXM2501-078



CXXM2501-079



CXXM2501-080



CXXM2501-081



CXXM2501-082



CXXM2501-083



CXXM2501-084



CXXM2501-085



CXXM2501-086

DESERT BOOTS

Upper part:Suede/Microfiber or Customize
Lining part:Leather/Oxford/Mesh or Customize
Outsole:Rubber/EVA+Rubber/PU etc.
Construction:Cement/Sewing/Goodyear/Injection/Mould Pressing etc.
Design:Slip on/Zipper/ BOA or Customize
Feature:Breathable,Comfortable,Light Weight,Waterproof,
Deodorant,High Temperature Resistant
Suitable for Tactical Training,Mountaineering and other Environments



CXXM2501-087



CXXM2501-088



CXXM2501-089



CXXM2501-090



CXXM2501-091



CXXM2501-092



CXXM2501-093



CXXM2501-094



CXXM2501-095



CXXM2501-096



CXXM2501-097



CXXM2501-098



CXXM2501-099



CXXM2501-100



CXXM2501-101



CXXM2501-102

OFFICIER SHOES



CXXM2501-103



CXXM2501-104



CXXM2501-105



CXXM2501-106



CXXM2501-107



CXXM2501-108



CXXM2501-109



CXXM2501-110



CXXM2501-111



CXXM2501-112



CXXM2501-113

SPORT SHOES



CXXM2501-114



CXXM2501-115



CXXM2501-116



CXXM2501-117

SAFETY SHOES



CXXM2501-122



CXXM2501-123



CXXM2501-124

Upper: PU
Outsole: Rubber
Lining: PU
Construction: Cement
Function: Puncture Resistant



CXXM2501-125



CXXM2501-126



CXXM2501-127

Upper: Flyknit+KPU/
Superfiber
Outsole: Rubber+EVA
Lining: Mesh
Construction: Cement
Function: Anti-static

FIRE BOOTS

Upper:
Genuine Leather or PU
Lining: Knitted Waterproof and Permeable Socks
Boot Toe: Aluminum Anti-smash Toe
Outsole: Flame Retardant Rubber
Function: Flame Retardant, Anti-sting, Anti-smash, Waterproof



CXXM2501-128



CXXM2501-129



CXXM2501-130

CYCLING BOOTS

Upper:
The First Layer Leather+Nylon(A Stopper is designed on the toe to prevent slipping)
Lining: One-piece Lining
Outsole: Rubber (Special craftsmanship, non-slip, wear-resistant and strong grip)
Construction: Cement/Goodyear



CXXM2501-131



CXXM2501-132



CXXM2501-133



CXXM2501-134



CXXM2501-135



CXXM2501-136



BULLETPROOF EQUIPMENT

BULLETPROOF VEST

Vest Type: Full Protection Vest/Concealed Vest/Plate Carrier/Floating Vest

Bulletproof Insert: It is able to insert NIJ IIIA bulletproof panel and NIJ III/IV hard armour plate

Outer Cover Fabric: Polyester/Nylon

Design:

- Molle System
- Adjustable Shoulder Strap
- Quick Release



CXXM2502-001



CXXM2502-002



CXXM2502-003



CXXM2502-004



CXXM2502-005



CXXM2502-006



CXXM2502-007



CXXM2502-008



CXXM2502-009



CXXM2502-010



CXXM2502-011



CXXM2502-012



CXXM2502-012



CXXM2502-013



CXXM2502-014



CXXM2502-015



CXXM2502-016



CXXM2502-017



CXXM2502-018



CXXM2502-019



CXXM2502-020



CXXM2502-021



CXXM2502-022



CXXM2502-023



CXXM2502-024



CXXM2502-025



CXXM2502-026



CXXM2502-027



CXXM2502-028



CXXM2502-029



CXXM2502-030



CXXM2502-031



CXXM2502-032



CXXM2502-033



CXXM2502-034



CXXM2502-035



CXXM2502-036



CXXM2502-037



CXXM2502-038



CXXM2502-039



CXXM2502-040



CXXM2502-041



CXXM2502-042



CXXM2502-043



CXXM2502-044



CXXM2502-045



CXXM2502-046



CXXM2502-047



CXXM2502-048



CXXM2502-049



CXXM2502-050



CXXM2502-051



CXXM2502-052



CXXM2502-053



CXXM2502-054



CXXM2502-055



CXXM2502-056



CXXM2502-057



CXXM2502-058



CXXM2502-059



CXXM2502-060



CXXM2502-061



CXXM2502-062



CXXM2502-063



CXXM2502-064



CXXM2502-065



CXXM2502-066



CXXM2502-067



CXXM2502-068



CXXM2502-069



CXXM2502-070



CXXM2502-071

BULLETPROOF HELMET

Model : PASGT /MICH/FAST/WENDY/ACH
Material : UHMW-PE/Aramid
Protection level : NIJ IIIA/NIJ III

Lightweight FAST Helmet



CXXM2502-072

FAST



CXXM2502-073

MICH



CXXM2502-074

ACH



CXXM2502-075

WENDY



CXXM2502-075

PASGT



CXXM2502-076

Size	M	L	XL
Weight	1.2kg	1.25kg	1.32kg

SIDE RAIL



CXXM2502-077



CXXM2502-077



CXXM2502-077

INNER PADS



CXXM2502-078



CXXM2502-079



CXXM2502-080

SHROUD



CXXM2502-081




CXXM2502-082



CXXM2502-083



CXXM2502-084



CXXM2502-085



CXXM2502-086

FASTENERS

ADJUSTABLE STRAP



CXXM2502-087



CXXM2502-088



CXXM2502-089

BULLETPROOF VISOR



CXXM2502-090



CXXM2502-091

BULLETPROOF PLATE



CXXM2502-092



STRIKE FACE

SINGLE/MULTI CURVED

T-TYPE BULLETPROOF PLATE

Protection Level: NIJ III/NIJ IV
Material: PE+SiC/Al2O3/Monolithic SiC
Type: ICW or STA



CXXM2502-093



STRIKE FACE



CXXM2502-094



BULLETPROOF SOFT PANEL

Protection Level:NIJ IIIA
Material:Aramid or UHMW-PE
Size:Customized
Outer Finish:
Waterproof Oxford Cover



CXXM2502-095



CXXM2502-096

BULLETPROOF SHIELD



CXXM2502-097
Dimensions:1200x470x6.5mm
Weight: < 35 kg
Protection level: NIJ IIIA



CXXM2502-098
Size:500x900±5mm
Weight: < 4 kg
Protection level: NIJ IIIA



CXXM2502-098
Size: 500x900±5mm
Weight: 6±1kg
Protection level: NIJ IIIA



CXXM2502-099
Size: 550x1000±5mm
Weight: < 30 kg
Protection level: NIJ IV

BULLETPROOF GLASS

Protection Level	Protective Performance	Thickness(mm)	Density(kg/ m ²)
STANAG4569 Level I	7.62×51mm FMJ	39	88
	5.56×45mm SS109	36	79
	5.56×45mm M193	36	79
STANAG4569 Level II	7.62×39mm API	49	112
		60	110
STANAG4569 Level III	7.62×54mm API	32	96
	7.62×51mm API	79	178
STANAG4569 Level III+	12.7×99mm NATO API	36	102
		99	228
STANAG4569 Level IV	14.5×114mm AP/B32	48	128
		148	336



CXXM2502-100



CXXM2502-101

BULLETPROOF MATERIAL



CXXM2502-102

Grammage	195gsm±10gsm	220gsm±10gsm	232gsm±10gsm
By roll/ By Sheet	By roll	By sheet	By roll
Thickness	0.18mm±0.02mm	0.2±0.02mm	0.2±0.02mm
Length	200±10m	3.2m	100±10m
Width	1.2m	1.6m	1.6m



CXXM2502-103


Grammage	195gsm ±10gsm	220gsm ±10gsm	232gsm ±10gsm	240gsm ±10gsm
Fiber level	Normal	Normal	Normal	4 layers construction
By roll / By piece	By roll	By roll	By roll	By piece
Width	1600mm	1600mm	1600mm	1600mm*3200mm



CXXM2502-104

Property	Aluminum Ceramic	Silicon Carbide Ceramic	Silicon Nitride Ceramic
Density	3.8-4.0 g/cm³	3.1-3.2 g/cm³	3.2-3.3 g/cm³
Hardness	Mohs 9	Mohs 9.5 (nearly diamond-level)	Mohs 8.5 (higher toughness)
Multi-Hit Resistance	Weak (prone to delamination; requires backing)	Moderate (dense structure for 2-3 hits)	Strong (self-healing cracks; supports multi-hits)

BULLETPROOF STEEL PLATE



CXXM2502-105



Test thickness	Weapons&ammunition	Bullet speed(M/S)	Shooting distance(M)	Ref. Standard
5.5mm	M16 5.56 x 45 (SS109) NATO 7.62x51	950 840	10	EN1063 B6
6.5mm	M16 5.56 x 45 (SS109) NATO 7.62x51	950 840	10	EN1063 B6 NIJ 0108.01 III
8.2mm	M16 5.56 x 45(M193)	980	10	STANAG 4569 I
10.0mm	M16 5.56 x 45 M193)	980	10	STANAG 4569 I
12.5mm	7.62 x 39 API	720	30	STANAG 4569 II
14.5mm	7.62 x 51 HC1 API 7.62 x 39 API	850	10	EN1063 B7

MILITARY
APPAREL

BULLETPROOF
EQUIPMENT

POLICE
EQUIPMENT

OUTDOOR AND
TACTICAL PRODUCTS

TROOP FIELD
EQUIPMENT

SPECIAL
VEHICLE

HIGH-TECH
EQUIPMENT



POLICE EQUIPMENT

ANTI RIOT GEARS

ANTI RIOT SUIT



Carrying Bag

CXXM2503-001
Bulletproof
anti riot suit



Carrying Bag

CXXM2503-002
Quick release
anti riot suit



Carrying Bag

CXXM2503-003
Flame retardant Oxford
cloth anti riot suit

OTHER STYLE ANTI RIOT SUIT



CXXM2503-004



CXXM2503-005



CXXM2503-006



CXXM2503-007



CXXM2503-008



CXXM2503-009



CXXM2503-009



CXXM2503-010



CXXM2503-011



CXXM2503-012



CXXM2503-013



CXXM2503-014

MILITARY
APPAREL

BULLETPROOF
EQUIPMENT

POLICE
EQUIPMENT

OUTDOOR AND
TACTICAL PRODUCTS

TROOP FIELD
EQUIPMENT

SPECIAL
VEHICLE

HIGH-TECH
EQUIPMENT

ANTI RIOT HELMET



CXXM2503-015



CXXM2503-016



CXXM2503-017



CXXM2503-018

ANTI RIOT SHIELD



CXXM2503-019

ANTI RIOT PC SHIELD

Size:500*900*3.5mm
Weight:1.4kg-1.8kg



CXXM2503-022

ANTI RIOT LONG SHIELD

Size:550*1200*3.5mm
Weight:4.8kg



CXXM2503-020

ANTI RIOT PC SHIELD

Size:1000*560*3.5mm
Weight:3.6kg



CXXM2503-023

ANTI RIOT CZECH SHIELD

Size:570*1000*3mm
Weight:3.6kg



CXXM2503-021

ANTI RIOT ROUND SHIELD

Size:580*580*3.5mm
Weight:1.4kg-1.8kg



CXXM2503-024

ANTI RIOT METAL SHIELD

Size:500*900*2.0mm
Weight:3.24kg

Material: ABS shell, PC visor, metal mesh and foam layer, oxford fabric cloth neck protector with metal zipper.
Transmittance: ≥84%.
Thickness of the visor: 2.5 mm/3.0 mm or customize
Type of visor: convex shape
high density EVA sponge
Standard 3-point adjustable
High impact resistance

ANTI RIOT ARM SHIELD



CXXM2503-025



CXXM2503-026

Handcuff&Leg Cuff

Material: Carbon steel/stainless steel/Nylon
Can be produced according to NIJ standard



CXXM2503-027



CXXM2503-028



CXXM2503-029



CXXM2503-030



CXXM2503-031



CXXM2503-032

BATON



CXXM2503-033



CXXM2503-034

GAS MASK



CXXM2503-035



CXXM2503-036



CXXM2503-037



CXXM2503-038

OUTDOOR AND TACTICAL PRODUCTS

TACTICAL BAG

Main Fabric: Cordura/Nylon/Polyester

Coating: PU/PVC

Webbing: Nylon/Polyester/PP

Buckle: UTX/POM/Metal

Treatment: Water Repellent/Anti-infrared/Fire Resistant

RUCKSACK



CXXM2504-001



CXXM2504-002



CXXM2504-003



CXXM2504-004

ALICE BAG



CXXM2504-005



BACKPACK



CXXM2504-006
Capacity: 45L



CXXM2504-007
Capacity: 65L



CXXM2504-008
Capacity: 55L



CXXM2504-009



CXXM2504-010



CXXM2504-011



CXXM2504-012

TRAVEL BAG



CXXM2504-013

90-120L



CXXM2504-014



CXXM2504-016



CXXM2504-015



CXXM2504-017

CANVAS BAG



CXXM2504-018



CXXM2504-019






CXXM2504-020

GUN BAG



CXXM2504-021



Manual measurement may have 1-2 "or 3-5cm deviation



CXXM2504-022



CXXM2504-024



CXXM2504-023



CXXM2504-025

TOOL BAG



CXXM2504-026

TACTICAL HYDRATION PACK



CXXM2504-030



CXXM2504-031



CXXM2504-032



CXXM2504-033

HOLSTER



CXXM2504-034

Polymer Holsters
Fit Glock 43/43X



CXXM2504-035

Leather Holsters
Fits Glock 17/22/31



CXXM2504-036

Kydex Holsters
Fit Taurus TS9



CXXM2504-037

Nylon Holsters
S/M/L/XL size to cover various gun model.

BELT

Webbing: Cordura/Nylon/Polyester/PP/
Cotton/Leather/Acrylic
Buckle: UTX/POM/Zinc Alloy/Brass
Width, Length, Thickness as requested
Could make different patterns buckle
mould



CXXM2504-038



CXXM2504-039



CXXM2504-040



CXXM2504-041



CXXM2504-042



CXXM2504-043



CXXM2504-044



CXXM2504-045



CXXM2504-046



CXXM2504-047



CXXM2504-048



CXXM2504-049



CXXM2504-050



CXXM2504-051



CXXM2504-052



CXXM2504-053



CXXM2504-054

SCARF



CXXM2504-055



CXXM2504-056



CXXM2504-057

GUN SLING



CXXM2504-058

CXXM2504-064

GLOVES



CXXM2504-065

CXXM2504-066

CXXM2504-067

CXXM2504-068

CXXM2504-069

SOCKS

MILITARY SOCKS



CXXM2504-070

DRESS SOCKS



CXXM2504-071



CXXM2504-072

CAMPING BED



CXXM2504-073

Fabric:Polyester/Nylon
Tube:Steel/Aluminum
Thickness:0.8-1.2mm
Size:190x62x42cm/Customized
Application:Disaster/Emergency Shelter/
Outdoor Living



CXXM2504-074



CXXM2504-075



CXXM2504-076

SLEEPING MAT



CXXM2504-077



CXXM2504-080



CXXM2504-078



CXXM2504-079

Foldable/Floating Sleeping Mat
Size:190x70x3cm/Customized
Color:Solid/Camouflage
Function:Waterproof
Application:Camping

HAMMOCK



CXXM2504-081




CXXM2504-082

Material:Polyster or Nylon
Size:195 x 205cm


Material:Polyster or Nylon
Size:200x86cm

CAMOUFLAGE NET



CXXM2504-083

Material:Polyster/Nylon
Size:3*6m/Customized
Color:Solid/Camouflage
Function:Waterproof/UV Protector/IR resistant/Anti-thermal/Radar Resistant
Application:Military Use/Hunting/
Camping/Decoration



CXXM2504-084 ~ CXXM2504-093

GHILLIE SUIT

Material:Polyester/Nylon
Size:S/M/L/XL
Color:Solid/Camouflage
Function:
Waterproof/UV Protector/IR resistant/
Anti-thermal/Radar Resistant
Application:
Military Use/Hunting/Camping/Decoration



CXXM2504-094



CXXM2504-095



CXXM2504-097



CXXM2504-099



CXXM2504-096



CXXM2504-098



CXXM2504-100

SLEEPING BAG



CXXM2504-101

Size:185cm to 200cm
Outshell material:
190T/210T polyester/190D/210D Nylon
Lining material:Polyester Pongee
Filling material:Hollow Cotton
or customize
Weight:1-3 kg
Function:Waterproof/anti-mildew/
Antiallergic material
Application:
Disaster/Mergency Shelter/Outdoor Living
Temperature scale:-15℃ /+20℃



CXXM2504-102



CXXM2504-103



CXXM2504-104

COMMAND TABLE



CXXM2504-105



CXXM2504-106

AMMO BOX



CXXM2504-107 CXXM2504-108 CXXM2504-109



NO.01 M19A1	NO.02 M2A1	NO.03 PA108
Internal dimensions 256mm x 87mm x 165 mm External dimensions Length x Width x Height 279mm X 97mm X 185 mm Weight: 1.85KGS	Internal dimensions 280mm x 141mm x 175 mm External dimensions Length x Width x Height 305mm X 155mm X 190 mm Weight: 2.6KGS	Internal dimensions 302mm x 172mm x 210 mm External dimensions Length x Width x Height 328mm X 185mm X 226 mm Weight: 3.4KGS

ELBOW PADS & KNEE PADS



CXXM2504-110



CXXM2504-111



CXXM2504-112



CXXM2504-113

Size: One size fit all,
adjustable elastic strap
Shell: TPR/ TPU/TPE
Fabric: Nylon / Polyester
Foam: EVA

CAMPING TABLEWARE



CXXM2504-114

2 Pcs Stainless Steel Mess Kit
Material: SS304 + Handle SS430
Surface finished: Matted



CXXM2504-115

Material: SS304 stainless steel
Size:28*22*4cm



CXXM2504-116

2 sets aluminum mess tin
Material: aluminum 0.9MM + SS201 handle- 4.5MM
Surface finished: white washing
L - 181*136*60mm
S - 168*134*58mm
Handle 167mm



CXXM2504-117

Stainless steel dining utensils
Material: SS304 stainless steel



CXXM2504-118

Material: aluminum
Surface finished:
White washing + Powder coating outside



CXXM2504-119

0.86L Aluminum Canteen With 0.6L Cup
Material: aluminum 1070
Surface finished: white-washing

WATER BOTTLE



CXXM2504-120



CXXM2504-121

Capacity: 0.75L-1L
Material: Aluminum, Plastic
Cover: Polyester, Nylon
Cover Color: Army Green, Black, Khaki, Camouflage

FOLDING SHOVEL



CXXM2504-122



CXXM2504-123



CXXM2504-124 ~ CXXM2504-127

PONCHO/RAIN SUIT

Material: Nylon or Polyester
Feature: Waterproof, Windproof, Breathable
Size: Customized, from XS-5XL
Color: Solid Color, Woodland, a Tac, Kryptek, Digital Camouflage are Available



CXXM2504-128



CXXM2504-129



CXXM2504-130



CXXM2504-131



CXXM2504-132



CXXM2504-133



CXXM2504-134

OTHER EQUIPMENT




CXXM2504-135

Tactical Falshlight
Power: 10W
Lumens: 1200LM
light range: 300M
Charging Method:
Outside charging,
universal charger



CXXM2504-136

Tactical pen
Material: Metal
Usage:
Writing/LED/Glass Breaker
Writing Width: 0.7mm/1.0mm
Ink Color: Black/Blue
Color: Black/Sliver/Gold



TROOP FIELD EQUIPMENT

MILITARY TENT

Fabric: Oxford/canvas/PVC
Tube: Steel/Aluminum



CXXM2505-001
FRAME TENT



CXXM2505-002
POLE TENT



CXXM2505-003
INFLATABLE TENT



CXXM2505-004
ARCH MULTI-PERSON TENT



CXXM2505-005
INFLATABLE BALL TENT



CXXM2505-006
RAINPROOF&FIREPROOF TENT



CXXM2505-007
POLICE TENT



CXXM2505-008
MOLDED CONNECTION TENT



CXXM2505-009
HANGER



Command Post



Field Support Workstation



Emergency Rescue



Materials Depot



Hangar



Conference Hall



Temporary Pavillion



Field Hospital



CXXM2505-010
SHOWER TENT



CXXM2505-011
WATER TANK



TENT BALLISTIC
PROTECTION SOLUTIONS



CXXM2505-012



CXXM2505-013
RESTAURANT COOKING
TRAILER COMBINATION TENT



CXXM2505-014
FIRST AID TENT



CXXM2505-015
LOGISTICS DISASTER RELIEF TENT



Tent fabric



CXXM2505-016
OXFORD



CXXM2505-017
CANVAS



CXXM2505-018
PVC

RELATED PRODUCTS



CXXM2505-019

CAMPING BED



CXXM2505-020

SLEEPING BAG



CXXM2505-021

HAMMOCK



CXXM2505-022

PORTABLE LIGHT



MOSQUITO NET



CXXM2505-023

AIR CONDITIONER



CXXM2505-024

MOBILE GENERATOR



CXXM2505-025



CXXM2505-026



CXXM2505-027

MONITORING SYSTEM



CXXM2505-028

Solar Monitoring Equipment



CXXM2505-029


Forest monitoring equipment



CXXM2505-030

Coastal border surveillance

FIELD HOSPITAL



CXXM2505-031

- Brief introduction
- 1.Outpatient Clinic Tent
 - 2.First Aid & ICU Tent
 - 3.Operation Theatre Shelter
 - 4.Corridor Tent
 - 5.Biochemical Inspection Shelter
 - 6.X-ray / Sterilization Shelter
 - 7.Tent Support Container
 - 8.Ward Tent
 - 9.Camping Tent
 - 10.Water / Power Supply Container
 - 11.Shower / Toilet Shelter
 - 12.Life Support Container
 - 13.Storage Container



Core Features:

Modular Field Hospital System

24/7 Emergency Rescue Capabilities.

Deployable in Scenarios Lacking Permanent Infrastructure.

System Capacity:

Daily Casualty Processing: 300 People/Day

Core Medical Capabilities

Daily Surgeries: 30 Cases

ICU/Emergency Beds: 4 Beds

X-ray Diagnostics: 200 Cases/Day

Clinical lab Tests:

Blood/Urine/Biofluid Analysis

Inpatient Capacity: 50 Beds

Unit types:

Expandable Tents (30-40m²) + 20ft ISO Shelters.

Infrastructure:

Independent Water Purification + Power Supply

Structural Adaptability:

Inflatable/Plug-and-Play/Foldable Designs.















BORDER TROOP GEARS

MILITARY BARRIER



CXXM2505-032



CXXM2505-033



CXXM2505-034



CXXM2505-035

FENCE

The fences are widely used in border.

With different styles and sizes.


Customized according to local climate and usage environment.

PATROL SEARCHLIGHT

Super long-range, super bright, patrol projection light

TRAINING PROJECT

Shooting Range Construction Project
Design and construction of indoor/outdoor



CXXM2505-036

Indoor Shooting Range



CXXM2505-037

Army Outdoor Shooting Range



CXXM2505-038

Urban Simulated Shooting Range



CXXM2505-039

H-bar pop-up target (LOMAH system)

- Location of Miss and Hit Shooting Not limited by shooting angle. Supporting high-precision electronic target reporting for oblique projectile and moving targets.

- Not limited by gun type. Support toy guns,gas guns,rifles, military and policehands guns, rifles,armor,artillery, and other types of weapons. Not affect edby weapon caliber and projectile speed,

- Not limited by the target Ordinary EVA target and ordinary target paper ,The target surface is just atargeted target, which can bebroken and pasted with a targetpaper.



SPECIAL VEHICLE

MILITARY VEHICLE



CXXM2506-001

Lightweight Armour Personnel Carrier
Driving range: 600 kilometers (km)
Chassis:DONGFENG
Bulletproof Level:
B6 NATO 4569 Standard Level 2



CXXM2506-003

Lightweight Personnel Carrier
Dimension:4700 x 2220 x 2100mm
Chassis:DONGFENG



CXXM2506-005

Armoured Water Truck
Dimension:8400mm x 2480mm x 3200mm
Bulletproof level:EN1063-2000 (B6)
level,STANAG4569 level 1 bulletproof standards



CXXM2506-007

Troop Carrier
Dimension: 7690X2550X3500mm
Chassis:HOWO



CXXM2506-002

Mine Resistant Personnel Carrier
Dimension:7100 x 2600 x 2800mm
Chassis:CHANGAN
Bulletproof level:NATO 4569 Standard Level 2
Mine Protection:
Higher than NATO 4569 4B Protection Standard



CXXM2506-004

Military Pick-up
Dimension: 4490*1825*1950mm
Chassis: BJ 2022JC



CXXM2506-006

Troop Carrier-DONGFENG
Dimension:7300mm x 2500mm x 3500mm
Chassis: BJ 2022JC



CXXM2506-008

Water Purification Truck
Dimension: 7100mm x 2550mm x 2950mm
Tire specification: 245/70R19.5



CXXM2506-010

Mobile Kitchen Trailer
Overall dimension:4000x2250x2420mm
Performance:
Suitable for boiling,roasting,frying western food



CXXM2506-009

Protective Heavy-duty Rescue Vehicle
Dimension:8400mm x 2480mm x 3860mm
Container length: 4600mm
Curb weight: 14000kg



CXXM2506-011

Shower Vehicle
Chassis: HOWO
Dimension: 10330*2550*3980mm
Drive model: 4*2
This vehicle can accommodate 36 people/h (10 minutes per person), with comfortable shower environment and complete sanitary

POLICE VEHICLE



CXXM2506-012

Armoured Personnel carrier
Chassis:IVECO
Weight:5510kg
Dimension:5645mmX2220X2990mm
Bulletproof level:
FB4 According To EN1522 standard



CXXM2506-013

Armoured Personnel Carrier
Chassis:IVECO
Dimension:5690mmX2035X2860mm
Number of Passenger:5-8 persons



CXXM2506-014

Road Carrier Vehicle

Dimension:7030mmX2300X3000mm

Chassis:Isuzu

Length when Barricades join together:56m



CXXM2506-015

Water Cannon Vehicle

Dimension:9940*3950*2496

Chassis:Sinotruck 6*4

Water shooting range: 65m



CXXM2506-016

Water Cannon Vehicle

Dimension:8300*3650*2500mm

Chassis:DONGFENG



CXXM2506-017

Armored Troops Carrier

Dimension:6610*2450*2490mm

Chassis:DONGFENG

Bulletproof performance:

China class C level bulletproof

AIRPORT VEHICLE



CXXM2506-018

Airport Ground Support Vehicle

Dimension:8000x3090x3680mm

Chassis:TECHKING

Curb weight:9500kg

Passenger elevator working height:

2150-5800mm

Number of stairs up and down:

3+14 Stair size

SECURITY SHELTER



CXXM2506-019

CAF60 model cabin

1 x support command and control platform

2 x equipment technology testing platforms

2 x precision instrument storage boxes

6 x storage cabinets

6 x Cabin configuration

Equipment

9 x foldable seats

1 x large command and control display screen

1 x cable reel

1 x inverter

2 x batteries

1 x distribution box

1 x air conditioning system

8 x round ceiling lights

1 x fresh air purification system

1 x fully automatic water supply electric kettle

1 x medical rescue facility

1 x diesel heater + fuel tank

Total weight of other accessories: 198kg Total

weight: 4403.6kg

Easy to transport military equipment and supplies

FIRE FIGHTING VEHICLE



CXXM2506-020

Fire Fighting Vehicle

Dimension:9680*2550*3620mm

Chassis: HOWO

Capacity of Extinguishing Agent:

Water 9100L + Foam 3040L

COMMUNICATION VEHICLE



CXXM2506-022

Emergency Communication Car

Chassis brand and model: FORD

Dimension:6000 × 2043 × 2330MM

Rated power of engine (kw): 3.5-7.5



CXXM2506-023

Emergency Communication Car
Dimension:12000 × 4500 × 3990MM
Chassis model:Large truck or tractor
Total mass (T): 16-26T
Number of on-site staff (person): 11-30

AMBULANCE



CXXM2506-024

Ambulance
Dimension:5380 × 1920 × 2505mm
Chassis:Foton
With Emergency Alarm System, Air Conditioner and Heater, Power Supply and Lighting System and Patient's compartment



CXXM2506-025

Bulletproof Ambulance
Dimension:5360mm x 2320mm x 2300mm
Bulletproof standard:
It can withstand the type 53 7.62mm Standard Bullet at a distance of 100 meters

CASH IN TRANSIT



CXXM2506-026

Cash-in-Transit
Dimension:5560 x 1940 x 2080mm
Chassis:Foton
Cargo Hold Space dimensions:
1580 x 1580 x 1200mm
Protection level: B4 higher



CXXM2506-027

Cash-in-Transit
Dimension:5341x1885x1815mm
Chassic:ZX AUTO



EOD EQUIPMENT

EOD SUIT



CXXM2507-001

EOD suit+Cooling suit+Communication system
EOD suit LFP-PBF80 ensemble has been designed with direct input from bomb disposal technicians to provide the highest degree of modular protection and operational flexibility for EOD missions.

- Helmet Remote Control Module
- Dual communication between the operator and the controller
- Real time video show on the computer
- Ergonomic design allows an operator to use EOD tools and related equipment

Seria	Area	V-50meters / Second
1	Chest and Groin Plates	1800
2	Front of Jacket	660
3	Rear of Jacket	500
4	Sleeves	550
5	Front Trouser	600
6	Rear Trousers	500
7	Front groin protector	600
8	Rear groin protector	500
9	Helmet	780
10	Visor	750

EOD ROBOT



Trailblazer EOD Robot

Blazer robot is a new generation of advanced digital robot. The robot has excellent off-road and climbing ability. It can skillfully and efficiently perform various explosive disposal tasks, or other dangerous operation tasks.

Size: 1000mm*450mm *550mm
Weight: 112 kg
Speed: speed up to at least 8km/h
Seven (7) degrees of freedom
Lifting capacity: Up to 60kg

CXXM2507-002



CXXM2507-003



CXXM2507-006



CXXM2507-004



CXXM2507-007



CXXM2507-005



CXXM2507-008

EOD TOOLS



CXXM2507-009
Water Recoilless Disruptor



CXXM2507-010
Non-magnetic Tool kit



CXXM2507-011
Telescopic Manipulator




CXXM2507-012
Hook and Line Accessories

ADVANCED DETECTION SYSTEMS



CXXM2507-013
Portable X-ray Scanner



CXXM2507-014
Explosive detector



CXXM2507-015
Long Distance Non-Linear
Junction Detector



CXXM2507-016
LFP-GPR20 Multi
Sensors Detector



CXXM2507-017
Metal Detector



CXXM2507-018
LFP-DX338
Cable Detector



CXXM2507-019
Tactical Investigation
Endoscope

PARACHUTE EQUIPMENT


Model:T-10
CXXM2507-020



Model:MC-1
CXXM2507-022







Model:T-11
CXXM2507-021



Model:G-11
CXXM2507-023



PARACHUTE&AIRDROP WEBBING

PIA-W-4088 Type 4 1.2 Oz/Yard		PIA-W-4088 Type 17 1.15 Oz/Yard	
PIA-W-4088 Type 6 1.15 Oz/Yard		PIA-W-4088 Type 19 4.1 Oz/Yard	
PIA-W-4088 Type 7 2.35 Oz/Yard		PIA-W-4088 Type 24 2.25 Oz/Yard	
PIA-W-4088 Type 8 1.60 Oz/Yard		PIA-W-4088 Type 26 4.9 Oz/Yard	
PIA-W-4088 Type 9 4 Oz/Yard		PIA-W-5038 Type 3 0.3 Oz/Yard	
PIA-W-4088 Type 12 0.85 Oz/Yard		PIA-W-5038 Type 4 0.5 Oz/Yard	
PIA-W-4088 Type 13 2.90 Oz/Yard		PIA-W-5625 1.7 Oz/Yard	

Parachute&Airdrop Fabric

Type	Fabric specifications	Industry code
T-10	Type I: Nylon, ripstop weave, 1.10 oz/sq.yd, 80-120 CFM	PIA-C-7020
T-11	Type IV: Nylon, ripstop weave, 1.20 oz/sq.yd, 0.5-3.0 CFM	PIA-C-44378
MC1-1C	Type I: Nylon, ripstop weave, 1.20 oz/sq.yd, 0.5-5.0 CFM	PIA-C-44378
G11	Type III: Nylon, ripstop weave, 1.60 oz/sq.yd, 100-160 CFM	PIA-C-7020
G12	Type I: Nylon, dobby weave, 2.25 oz/sq.yd, 90-140 CFM	PIA-C-7350
Ammunition Parachutes	Type D: Nylon, plain weave, 0.88 oz/sq.yd, break 40X40 lbf	PIA-C-498
Pack cover	Type I: Nylon, duck, plain weave, 9.50 oz/sq.yd, break 400X300 lbf	PIA-C-7219



CXXM2507-024
Multifunctional airborne carrying device



CXXM2507-025
Military dog parachute landing equipment



CXXM2507-026
Tactical parachute landing helmet



CXXM2507-027
Windproof glasses



CXXM2507-028
Parachute knife



CXXM2507-029
Automatic unlocking device



CXXM2507-030
Digital altimeter



CXXM2507-031
Parachute navigator



CXXM2507-032
Jump suit

CXXM2507-033



CXXM2507-034




CXXM2507-035
Oxygen system

BOAT&SHIP

MILITARY-GRADE INFLATABLE BOAT

Customizable Length:3.8 meters to 7 meters
Compatible with 30HP to twin 40HP outboard motors
Optional PVC or Hypalon material
Optional airdrop kit or submarine launch kit, automaticallyinflates and deploys once the boat reaches the water surface
Optional rapid-deployment bulletproof panels




MARITIME SHIP

CXXM2507-036



CXXM2507-037



Total length 13m
Ship length: 11.44m
Waterline length at full load: 11.44m
Breadth: 3.4m
Maximum beam: 3.55m
Depth: 1.4m
Maximum height: 4.86m
No-load draft:0.513m
Full-load draft:0.540m
Full load displacement: 8.425t
Light load displacement: 6.855t

COMMUNICATION DEVICE

MILITARY HEADPHONES

Advantages:

- Military-grade noise defense
- Real-time threat recognition
- Multi-scene audio modes
- Rapid-deployment design
- Full-spectrum durability (EMI/water/shockproof).



CXXM2507-038

MIL PRC
6-PINS
Hytera
PD780
Motorola
MTP850
YAESU
TOPCOM
MIDLAND
MOTOROLA
2-WAY
MOTOROLA
TALKABOUT
KENWOOD
ICOM
AUX



BODY WORN CAMERA



CXXM2507-039
Non-4G General Models




CXXM2507-040
4G Smart Models



CXXM2507-041
Docking Station & DEM System



COMMUNICATION SYSTEM



HF RADIO



CXXM2507-042
HF Manpack Radio



CXXM2507-043
HF Fixed/Vehicular Radio



CXXM2507-044
HF Base Station

VHF RADIO



CXXM2507-045
VHF Handheld Radio



CXXM2507-046
VHF Manpack Radio



CXXM2507-047
VHF Fixed/Vehicular Radio

MULTI-BAND RADIO



CXXM2507-048
Multi-band
handheld Radio



CXXM2507-049
Multi-band
Manpack Radio



CXXM2507-050
Multi-band Fixed/
Vehicular Radio

DUAL-BAND RADIO



CXXM2507-051
Dual-band
Handheld Radio



CXXM2507-052
Dual Fixed/
Vehicular Radio

TEAM RADIO



CXXM2507-053



CXXM2507-054



CXXM2507-055

JAMMER

PROTABLE JAMMER



CXXM2507-056
WF-U-MPK6 Tactical
Manpack UAV Jamming




CXXM2507-057
Protatable Drone Detection
and Jamming



CXXM2507-058
Manpack Jammer

VEHICLE-MOUNTED JAMMING SYSTEM



1300 Watts 24 Bands 20-6000MHZ Vehicular Jamming System
for military VIP convoy protection



CXXM2507-059

CXXM2507-061



CXXM2507-060
600 Watts 6/7/8 Bands 20-6000 MHZ fast and easy installation digital vehicle jammer



OPTICAL DEVICE

LOW-LIGHT NIGHT VISION DEVICE



Specification	CXXM2507-062	CXXM2507-063	CXXM2507-064	CXXM2507-065
Magnification	1X	1X	1X	1X
Field of view	38°	40°	50°	40°±2°
Lens System	26.8mm:F/1.2	26.8mm:F/1.2	20.5mm:F/1.0	
Focus Range	0.25m~infinity	0.25m~infinity	0.25m~infinity	0.28m~infinity
Dimension	105 x 67 x 50mm	191 x 152 x 81mm	154 x 128 x 89mm	160 x 68 x101mm
Weight	278g	530g	510g	480g

Thermal Imaging Scope



CXXM2507-066

Sensor type:Uncooled
Objective lens:f50 F1.5
FOV:8.8° x 7°
Human detection distance:≥2200m
Human recognition distance:≥900m
Weight:< 860g
Size:235 x 83 x 92mm

CXXM2507-067

Sensor type:Uncooled
Objective lens:f100 F1.0
FOV:4.4° x 3.5°
Human detection distance:≥3500m
Human recognition distance:≥1500m
Weight:< 1200g
Size:310 x 92 x 92mm



OUTLINE FUSION WHITE HOT BLACK HOT RED HOT GREEN

LOW LIGHT SCOPE



CXXM2507-068

FOV:12° x 8.58°
Human detection distance:≥600m
Weight:< 800g
Size:415 x 84 x 75mm

OTHER EQUIPMENTS



CXXM2507-069
GaAs Gen3 Tube



CXXM2507-070
Thermal goggles



CXXM2507-071
Military binocular 8X30



CXXM2507-072

Digital binoculars integrates Day and night use, ultra-high definition HD photo and video and GPS positioning module



CXXM2507-073

Multifunctional telescope integrates infrared reconnaissance instrument,visible light, laser rangefinder, satellite positioning, electronic compass, and storage module

DRONES & C-UAS EQUIPMENT

DRONES



CXXM2507-074
Eight-rotors Drone



CXXM2507-075
Foldable Quadrotor Drone



CXXM2507-076
Large Load Fire Drone



CXXM2507-077
Fixed-wing UAV



CXXM2507-078
Fixed-wing UAV



TACTICAL APPLICATION PAYLOAD



CXXM2507-079
4K Optical Zoom Camera



CXXM2507-080
Dual Lens Thermal Camera



CXXM2507-081
Air Caller



CXXM2507-082
Dry Chemical Fire-extinguishing Projectile Payload



CXXM2507-083
Gas Detection Module



CXXM2507-084
Reel Lossless Delivey Module



CXXM2507-085
Communication Relay Module



CXXM2507-086
Aerial Lighting Module



CXXM2507-087
Air Speaker with Light Alarming Unit

GROUND STATION CONTROL SYSTEM

ANTI DRONE GUN




CXXM2507-088



CXXM2507-089

A rugged, handheld C-UAS effector, with intergrated function of detection, tracking and countermeasures. It is highly effective against a wide range of C-UAS types and models.



TDOA ANTI-DRONE SYSTEM



CXXM2507-090

protected zones, the system quickly links countermeasure units to handle targets to achieve efficient management and control of large areas.

Typical Deployment



Other High-Tech Equipments

QUADRUPED ROBOT

Explosion-proof Quadruped Inspection Robot(Parameter)

Intrinsically Safe Pan-Tilt-Zoom(PTZ)

- High Definition(HD) Camera
- Infrared Thermometry Device
- Laser Rangefinder
- Microphone
- Fill Light Equipment

Wireless Signal Receiver

3D LiDAR

- Accurate distance measurement
- High-resolution 3D mapping

Gas Sensor

Wireless Charging Receiver

Depth Camera

- High-precision depth measurement
- High-resolution imaging

CXXM2507-091

under application process

The **ONLY** mass-produced explosion-proof quadruped robot in the world



By being equipped with different platforms, the quadruped robot can realize different functions such as patrolling, reconnaissance, carrying heavy objects, attacking and so on.

OTHER ROBOTS



Exoskeleton

The exoskeleton is designed to assist the human body in bearing weight and assisting, it is now widely used in Military for tank or artillery crewmembers. It reduces the load on the human body by more than 70%, makes you feel much more easier to carry heavy cargos.

